

Safety Data Sheet (SDS)

Printing date 05/08/2015

Prepared on 05/08/2015

1. Product and Company Identification

- **Product identifier**
- **Trade name: MARK III, Fountain Solution**
- **Item Number/Size:**
#80G: 1-Gallon Bottle, #80-5C: 5-Gallon Pail, #80-53D: 53-Gallon Drum
- **Relevant identified uses of the substance or mixture and uses advised against**
Water Base Mixture/Preparation – Fountain Solution Concentrate for Lithographic Printing Use
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Nikken Chemical Laboratory Co., Ltd.
Sakae 2-16-1, Naka-Ku, Nagoya, Aichi 460-0008, Japan
overseas@nikken-chemical.co.jp
Ph. +81-52-220-1398 Fax +81-52-219-2495 for product information
www.nikken-chemical.co.jp
- **Emergency telephone number: Infotrac: 1-800-535-5053, 1-352-326-2510**

2. Hazard(s) identification

- **GHS classification and label elements of the product**
 - GHS classification
 - PHYSICAL HAZARDS
 - Flammable liquids : Category 4
 - HEALTH HAZARDS
 - Skin corrosion/irritation : Category 2
 - Serious eye damage /eye irritation : Category 2A
- **Hazard pictograms**



- **Signal word: Warning**
- **Hazard statements:**
 - H227: Combustible liquid.
 - H302: Harmful if swallowed.
 - H315: Causes skin irritation.
 - H319: Causes serious eye irritation.
 - H335: May cause respiratory irritation.
 - H372: Causes damage to organs (central nervous system, peripheral nerve, respiratory organs, nervous system) through prolonged or repeated exposure.
- **Precautionary statements:**
 - Prevention
 - P264: Wash hands thoroughly after handling.
 - P280: Wear protective gloves/protective clothing/eye protection/face protection.
 - P260: Do not breathe dust/fume/gas/mist/vapors/spray.
 - P270: Do not eat, drink or smoke when using this product.
 - P271: Use only outdoors or in a well-ventilated area.
 - P284: Wear respiratory protection.
 - Response
 - P301+P312+P330: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.
 - P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 - P337+P313: If eye irritation persists: Get medical advice/attention.
 - P302+P352: IF ON SKIN: Wash with plenty of soap and water.
 - P332+P313: If skin irritation occurs: Get medical advice/attention.

Safety Data Sheet (SDS)

Printing date 05/08/2015

Prepared on 05/08/2015

· **Trade name: MARK III, Fountain Solution**

P361+P363: Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before reuse.
 P304+P340+P310: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

P314: Get Medical advice/attention if you feel unwell.

Storage

P405: Store locked up.

P403: Store in well-ventilated place.

P233: Keep container tightly closed.

Disposal

P501: Dispose of contents/container in accordance with local/regional/national regulations.

3. Composition/information on ingredients

· **Substance/Preparation: Preparation**

Ingredient name	content(%)	CAS No.	ECNO
Water	25 - 60	7732-18-5	231-791-2
2-Butoxy ethanol	5 - 30	111-76-2	203-905-0
Ammonium nitrate	1 - 3	6484-52-2	229-347-8

4. First-aid measures

· **General information:**

Call a POISON CENTRE or doctor/physician if you feel unwell.

· **IF INHALED:**

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

· **IF ON SKIN(or hair):**

Immediately take off contaminated clothing and rinse skin (and/or hair) with plenty of soap and water. If skin irritation occurs, get medical advice/attention. Wash contaminated clothing before reuse.

· **IF IN EYES:**

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

· **IF SWALLOWED:**

Never give anything by mouth to an unconscious person. Rinse mouth with water. Do not induce vomiting. Get medical advice/attention.

· **Protective measures for first aid:**

Do not touch the victim directly. And wear the protective equipment.

5. Fire-fighting measures

· **Suitable extinguishing media:**

In case of fire, use foam, dry powder, CO2.

· **Specific fire-fighting measures:**

Apply water from a safe distance to cool and protect surrounding area.

Stand at upwind and do the fire-fighting, to avoid breathing toxic gas.

Do not discharge water of extinguishing to flow out to the environment and take the appropriate.

· **Special protective equipment and precautions for fire-fighters:**

Wear the protective equipment.

6. Accidental release measures

· **Personnel precautions, protective equipment and emergency procedures:**

Wear proper protective equipment.

Eliminate all sources of ignition and ventilate the area.

Stand at upwind. Evacuate personnel at downwind.

· **Environmental precautions:**

Prevent spills from entering sewers, watercourses or low areas.

Safety Data Sheet (SDS)

Printing date 05/08/2015

Prepared on 05/08/2015

· **Trade name: MARK III, Fountain Solution**

· **Methods and materials for neutralization, containment and cleaning up:**

Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

7. Handling and storage

· **Precautions for safe handling**

Do not breathe dust/fume/gas/mist/vapors/spray.

· **Preventive measures:**

(Protective measures against fire & explosion)

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

· **Safety Measures/Incompatibility:**

Wear protective gloves.

Wear protective gloves and face protection.

Wear eye protection/face protection.

Wash hands et al thoroughly after handling.

· **Conditions for safe storage, including any incompatibilities**

· **Recommendation for storage:**

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight. Do not expose to temperatures exceeding 122°F (=50°C). Do not store at temperatures below 32°F or 0°C.

· **Incompatible storage condition:**

Store away from strong acids, strong bases, oxidizing agents.

8. Exposure controls/personal protection

Control parameters e.g. occupational exposure limit values or biological limit values

Adopted value

(2-Butoxy ethanol)

ACGIH(1996) TWA: 20ppm (Eye & URT irr)

OSHA-PEL

(2-Butoxy ethanol)

TWA 50ppm, 240mg/m³

NIOSH-REL

(2-Butoxy ethanol)

TWA 5ppm, 24mg/m³

Protective equipment

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Hand protection

Wear protective gloves.

Eye protection

Wear eye protection.

Skin and body protection

Wear protective clothing.

Safety and Health measures

Wash ... thoroughly after handling.

Take off contaminated clothing and wash before reuse.

9. Physical and chemical properties

· **Physical properties:**

Appearance: Light Pink Clear Liquid

Form: Liquid

Color: Light Pink (Clear)

Odor: Mild glycol odor

pH: No data

Safety Data Sheet (SDS)

Printing date 05/08/2015

Prepared on 05/08/2015

· **Trade name: MARK III, Fountain Solution**

Flash point: 200F° (=93.5° C) Closed Cup

Solubility (water): Soluble (100%)

Specific gravity: No data

10. Stability and reactivity

This product is stable and non-reactive under normal conditions of use, storage and transport.

Hazardous decomposition products: No hazardous decomposition products are known.

11. Toxicological information

There is no experimentally determined data available on the preparation (product) itself.

· **Information on toxicological effects:**

Inhalation: None known.

Ingestion: harmful if swallowed. May be fatal if swallowed and enters airways.

Skin contact: Causes skin irritation.

Eye contact: Cause eye irritation.

Acute Toxicity (Component)

Oral

(2-Butoxyethanol) Oral LD-50: (Rat): 1,300 mg/kg, Oral LD-50: (Guinea Pig): 1,400 mg/kg

(Ammonium nitrate) Oral LD-50: (Rat): 2,462 mg/kg

Dermal

(2-Butoxyethanol) Dermal LD-50: (Rat): >2,000 mg/kg, Oral LD-50: (Guinea Pig): >2,000 mg/kg

Inhalation

(2-Butoxyethanol) Vapour: LC50 (Rat, 3h): >4.9 mg/l, Vapour: LC0 (Guinea Pig, 1h): >3.4 mg/l

Repeated Dose Toxicity (Component)

(2-Butoxyethanol) LOAEL (Rat, Oral Study): 69 mg/kg (Target Organ(s): Liver)

NOAEL (Rat, Dermal Study): 150 mg/kg

LAEC (Rat, Inhalation Study): 152 mg/m³ (Target Organ(s): Blood)

Skin corrosion/irritation (Component)

(2-Butoxyethanol) (Rabbit, 24h): Moderate

Serious eye damage/eye irritation (Component)

(2-Butoxyethanol) (Rabbit, 24h): Moderate

Respiratory or skin sensitization: (Component)

(2-Butoxyethanol) (Guinea Pig): Not a skin sensitizer

Mutagenicity (Component)

(2-Butoxyethanol) In vitro: Salmonella typhimurium assay (Ames test): Negative +/- activation

In vivo: Chromosomal aberration intraperitoneal injection (Mouse, Male): Negative

Carcinogenicity (Component)

(2-Butoxyethanol) IARC-Gr.3: Not Classifiable as a Human Carcinogen.

ACGIH-A3(1996): Confirmed Animal Carcinogen with Unknown Relevance to Humans

Reproductive toxicity (Component)

Based on available data the classification criteria are not met. Not classified as hazardous.

Specific target organ toxicity (Component)

Single exposure Not classified

Repeated exposure Not classified

Aspiration hazard

(2-Butoxyethanol) Droplets of the products aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.

Other adverse effects (Component)

No data available.

Safety Data Sheet (SDS)

Printing date 05/08/2015

Prepared on 05/08/2015

· **Trade name: MARK III, Fountain Solution**

12. Ecological information

There is no experimentally determined data available on the preparation (product) itself.

· **Toxicity (Component)**

Acute toxicity

Fish

(2-Butoxyethanol) LC-50 (Oncorhynchus mykiss): 1,474 mg/l – 96h

Daphnia and other aquatic invertebrates

(2-Butoxyethanol) EC-50 (Water Flea, 48h): 1,550 mg/l

Chronic toxicity

Fish

(2-Butoxyethanol) NOEC (Zebra Fish, 21d): >100 mg/l

Aquatic invertebrates

(2-Butoxyethanol) NOEC (Daphnid, 21d): 100 mg/l

Toxicity to Aquatic Plants

(2-Butoxyethanol) EC-50 (Algae (*Pseudokirchneriella subcapitata*), 72h): 1,840 mg/l

· **Persistence and degradability**

(2-Butoxy ethanol)

BOD Degradation : 96% (Registered chemicals data check & review, Japan)

· **Bioaccumulative potential**

(2-Butoxy ethanol)

log Pow=0.83 (PHYSPROP Database, 2005)

No Mobility in soil data available

Known or predicted distribution to environmental compartments No data available.

Results of PBT and vPvB assessment No data available.

No ozone depleting chemical data available

Other adverse effects No data available.

13. Disposal considerations

· **Disposal methods:**

Avoid release to the environment (- if this is not the intended use).

Dispose of contents/container in accordance with local/national regulation.

14. Transport information

· **Regulatory information:**

· UN No, UN CLASS

Not applicable to Un NO.

· USDOT

Not classified as a dangerous good under transport regulations.

· IMDG

Not classified as a dangerous good under transport regulations.

· IATA/ICAO

Not classified as a dangerous good under transport regulations.

15. Regulatory information

· **GHS classification and labeling:**

Flam. Liq. 4 : H227 Combustible liquid

Skin Corr. 2 : H315 Causes skin irritation.

Eye Irrit. 2 : H319 Causes serious eye irritation

· **US major regulations:**

Toxic Substance Control Act (TSCA) Inventory Status:

The components of this product are listed or have been registered for inclusion on the Section 8(B) Chemical Substance Inventory List (40 CFR 710).



Safety Data Sheet (SDS)

Printing date 05/08/2015

Prepared on 05/08/2015

· **Trade name: MARK III, Fountain Solution**

16. Other information

· Reference Book

Globally Harmonized System of classification and labelling of chemicals, (4th ed., 2011), UN Recommendations on the TRANSPORT OF DANGEROUS GOODS 18th edit., 2013 UN Classification, labelling and packaging of substances and mixtures (table3-1 ECNO6182012)

2012 EMERGENCY RESPONSE GUIDEBOOK(US DOT)

2014 TLVs and BEIs. (ACGIH)

<http://monographs.iarc.fr/ENG/Classification/index.php>

Supplier's data/information

Notice to reader

Disclaimer: The information contained in this SDS is forwarded to you for your information, but is not meant to imply that this article is covered by nor is this SDS meant to comply with all requirements of the hazard communication standards. All information appearing herein is based upon Data obtained from Manufacturer and/or recognized technical sources. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the material are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use, disposal of the material. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for his own particular use. The information contained in this SDS represents the best information currently available to us. However, neither Nikken Chemical Laboratory Co., Ltd., nor any of its distributors assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist. It is advised to make their own tests to determinate the safety and suitability of each such product or combination for their own purposes. The GHS classification data given here is based on current EU official data.